

## 5 Drittmittelanträge

### 5.1 HFBG-Antrag gemeinsam mit Prof. Kleinermanns Az. 3772-110-325

**Thema:** Aufbau einer höchstauflösenden Laserfluoreszenzapparatur

#### Bewilligte Geräte

- Apparatur zur rotationsauflösenden Fluoreszenzspektroskopie
- Nachweiselektronik
- Ar<sup>+</sup>-Ionenlaser gepumpter Ringfarbstofflaser mit Frequenzverdopplung

### 5.2 DFG-Antrag SCHM 1043/7-1

**Thema:** Untersuchung zur Dynamik von Bewegungen mit großer Amplitude mittels höchstauflösender Laserfluoreszenzspektroskopie.

#### Bewilligte Geräte und Stellen

- Ar<sup>+</sup>-Ionenlaser Plasmaröhre
- 2 Jahre BAT IIa/2

### 5.3 DFG-Antrag SCHM 1043/9-1 und 9-2

**Thema:** Hochaufgelöste elektronische Spektroskopie an wasserstoffbrückengebundenen aromatischen Systemen

#### Bewilligte Geräte und Stellen

- Mikrowellensynthesizer
- Quadrupolmassenspektrometer
- 3 Jahre BAT IIa/2

### 5.4 DFG-Antrag SCHM 1043/9-3 und 9-4

**Thema:** Hochaufgelöste elektronische Spektroskopie an wasserstoffbrückengebundenen aromatischen Systemen

#### Bewilligte Geräte und Stellen

- externer Verdopplungsresonator für Ringfarbstofflaser
- 3 Jahre BAT IIa/2

## 5.5 Projekt A2 im SFB 663

**Thema:** Bestimmung von Strukturen und Lebensdauern photoprotektiver Addukte in elektronisch angeregten Zuständen

### Bewilligte Geräte und Stellen

- Diodengepumpter Nd:YAG-Laser
- 4 Jahre BAT IIa/2

## 5.6 DFG-Antrag SCHM 1043/10-1

**Thema:** High resolution electronic spectroscopy of isolated biomolecules and biomimetics

### Bewilligte Geräte und Stellen

- Bauteile für ein neuzukonstruierendes hochauflösendes Flugzeitmassenspektrometer
- 3 Jahre BAT IIa/2

## 5.7 DFG-Antrag SCHM 1043/11-1

**Thema:** Untersuchung des Einflusses der Komplexbildung auf die Konformerlandschaft flexibler Biomoleküle mit rotationsauflösender Spektroskopie

### Bewilligte Geräte und Stellen

- Ringfarbsofflaser der Firma Sirah
- 3 Jahre BAT IIa/2

## 5.8 DFG-Antrag SCHM 1043/12-1

**Thema:** Bestimmung der Lage elektronisch angeregter Zustände, sowie der zugehörigen Strukturen und Lebensdauern

### Bewilligte Geräte und Stellen

- Argonionenlaser
- 3 Jahre BAT IIa (3/2)

## Literatur

- [1] Engler, G., Seefeld, K., Schmitt, M., Tatchen, J., Grotkopp, O., Müller, T. J. J. und Kleinerermanns, K.: *Acetylation Makes All the Difference: A Joint Experimental and Theoretical Study Comparing Low-Lying Excited States of 9H-Adenine and 9-Acetyladenine*. *Phys. Chem. Chem. Phys.* **submitted** (2011).
- [2] Brand, C., Meerts, W. L. und Schmitt, M.: *How and Why Do Transition Dipole Moment Orientations Depend on Conformer Structure?. J. Phys. Chem. A* **115** (2011), 9612.
- [3] Yi, J. T., Brand, C., Wollenhaupt, M., Pratt, D. W., Meerts, W. L. und Schmitt, M.: *Rotationally resolved electronic spectroscopy of biomolecules in the gas phase. Melatonin*. *J. Mol. Spec.* **268** (2011), 115.
- [4] Oeltermann, O., Brand, C., Meerts, W. L., Tatchen, J. und Schmitt, M.: *Rotationally resolved electronic spectroscopy of 2,3-bridged indole derivatives: tetrahydrocarbazole*. *J. Mol. Struct.* **933** (2011), 2.
- [5] Vu, T. B. C., Brand, C., Meerts, W. L. und Schmitt, M.: *Rotationally resolved electronic spectroscopy of 1,4-benzodioxan: the anomeric effect in ground and electronically excited state*. *ChemPhysChem* **12** (2011), 2035.
- [6] Brand, C., Oeltermann, O., Pratt, D. W., Weinkauff, R., Meerts, W. L., van der Zande, W., Kleinerermanns, K. und Schmitt, M.: *Rotationally resolved electronic spectroscopy of 5-methoxyindole*. *J. Chem. Phys.* **133** (2010), 024303.
- [7] Küpper, J., Pratt, D. W., Meerts, W. L., Brand, C., Tatchen, J. und Schmitt, M.: *Vibronic coupling in indole: II. Investigation of the  $^1L_a$ - $^1L_b$  interaction using rotationally resolved electronic spectroscopy*. *Phys. Chem. Chem. Phys.* **12** (2010), 4980.
- [8] Brand, C., Küpper, J., Pratt, D. W., Meerts, W. L., Krügler, D., Tatchen, J. und Schmitt, M.: *Vibronic coupling in indole: I. theoretical description of  $^1L_a$  and  $^1L_b$  interactions and the absorption spectrum*. *Phys. Chem. Chem. Phys.* **12** (2010), 4968.
- [9] Schmitt, M., Biemann, L., Meerts, W. L. und Kleinerermanns, K.: *Analysis of the FTIR spectrum of pyrazine using evolutionary algorithms*. *J. Mol. Spec.* **257** (2009), 74.
- [10] Kalkman, I., Brand, C., Vu, T.-B. C., Meerts, W. L., Svartsov, Y. N., Dopfer, O., Tong, X., Müller-Dethlefs, K., Grimme, S. und Schmitt, M.: *The structure of phenol- $Ar_n$ ,  $n=1,2$  clusters in their  $S_0$  and  $S_1$  states*. *J. Chem. Phys.* **130** (2009), 224303.
- [11] Kalkman, I., Vu, C., Schmitt, M. und Meerts, W. L.: *Structure and internal rotation in the  $S_0$  and  $S_1$  states of *o*-toluidine studied by high resolution UV spectroscopy*. *Phys. Chem. Chem. Phys.* **11** (2009), 4311.

- [12] Vu, T. B. C., Kalkman, I., Meerts, W. L., Brand, C., Svartsov, Y. N., Wiedemann, S., Weinkauff, R. und Schmitt, M.: *The conformational landscape of 5-methoxytryptamine studied by rotationally resolved fluorescence spectroscopy and resonant ionization spectroscopy. Phys. Chem. Chem. Phys.* **11** (2009), 2433.
- [13] Böhm, M., Tatchen, J., Krügler, D., Kleineremanns, K., Nix, M. G. D., LeGreve, T. A., Zwier, T. S. und Schmitt, M.: *High-resolution and Dispersed Fluorescence Examination of Vibronic bands of Tryptamine: Spectroscopic signatures for  $L_a/L_b$  mixing near a conical intersection. J. Phys. Chem. A* **113** (2009), 2456.
- [14] Böhm, M., Brause, R., Jacoby, C. und Schmitt, M.: *Conformational Relaxation Paths in Tryptamine. J. Phys. Chem. A* **113** (2009), 448.
- [15] Motsch, M., Schenk, M., Zeppenfeld, M., Schmitt, M., Meerts, W. L., Pinkse, P. W. und Rempe, G.: *Spectroscopy of the  $\tilde{A}^1A_2 \leftarrow \tilde{X}^1A_1$  transition of formaldehyde in the 30140-30790  $\text{cm}^{-1}$  range: The  $2_0^14_0^3$  and  $2_0^24_0^2$  rovibrational bands. J. Mol. Spec.* **252** (2008), 25.
- [16] Kalkman, I., Vu, C., Schmitt, M. und Meerts, W. L.: *The tunneling splittings in the benzoic acid dimer  $S_0$  and  $S_1$  state determined by high resolution UV spectroscopy. ChemPhysChem* **9** (2008), 1788.
- [17] Vu, T. B. C., Kalkman, I., Meerts, W. L., Svartsov, Y. N., Jacoby, C. und Schmitt, M.: *Rotationally resolved electronic spectroscopy of water clusters of 7-azaindole. J. Chem. Phys.* **128** (2008), 214311(1).
- [18] Svartsov, Y. und Schmitt, M.: *Electronically excited states of water clusters of 7-azaindole: structures, relative energies and electronic nature of the excited states.. J. Chem. Phys.* **128** (2008), 214310(1).
- [19] Brause, R., Santa, M., Schmitt, M. und Kleineremanns, K.: *Determination of the Geometry Change of the Phenol Dimer upon Electronic Excitation. ChemPhysChem* **8** (2007), 1394.
- [20] Brause, R., Schmitt, M. und Kleineremanns, K.: *Improved Determination of Structural Changes of 2-Pyridone- $(\text{H}_2\text{O})_1$  upon Electronic Excitation. J. Phys. Chem. A* **111** (2007), 3287.
- [21] Lee, Y., Kim, B., Schmitt, M. und Kleineremanns, K.: *Observation of Ultraviolet Rotational Band Contours of the DNA Base Adenine: Determination of the Transition Moment. J. Phys. Chem. A* **110** (2006), 11819.
- [22] Schmitt, M., Feng, K., Böhm, M. und Kleineremanns, K.: *Low frequency backbone vibrations of individual conformational isomers: tryptamine. J. Chem. Phys.* **125** (2006), 144303(1).
- [23] Schmitt, M., Brause, R., Marian, C., Salzmann, S. und Meerts, W. L.: *Electronically excited states of tryptamine and its microhydrated complex. J. Chem. Phys.* **125** (2006), 124309(1).

- [24] Schmitt, M., Böhm, M., Siegert, C. R. S., van Beek, M. und Meerts, W. L.: *Electronic excitation in the benzonitrile dimer: The intermolecular structure in the  $S_0$  and  $S_1$  state determined by rotationally resolved electronic spectroscopy.* *J. Mol. Struct.* **795** (2006), 234.
- [25] Meerts, W. L. und Schmitt, M.: *Application of genetic algorithms in automated assignments of high-resolution spectra..* *Int. Rev. Phys. Chem.* **25** (2006), 353.
- [26] Schmitt, M., Böhm, M., Ratzner, C., Krügler, D., Kleineremanns, K., Kalkman, I., Berden, G. und Meerts, W. L.: *Electronic excitation in the phenol dimer: The intermolecular structure in the  $S_0$  and  $S_1$  state determined by rotationally resolved electronic spectroscopy.* *ChemPhysChem* **7** (2006), 1241.
- [27] Schmitt, M., Krügler, D., Böhm, M., Ratzner, C., Bednarska, V., Kalkman, I. und Meerts, W. L.: *A genetic algorithm based determination of the ground and excited  $^1L_b$  state structure and the orientation of the transition dipole moment of benzimidazole.* *Phys. Chem. Chem. Phys.* **8** (2006), 228.
- [28] Jacoby, C., Bhm, M., Vu, C., Ratzner, C. und Schmitt, M.: *Probing the acidity of  $p$ -substituted phenols in the excited state: electronic spectroscopy of the  $p$ -cyanophenol-water cluster.* *ChemPhysChem* **7** (2006), 448.
- [29] Brause, R., Krügler, D., Schmitt, M., Kleineremanns, K., Nakajima, A. und Miller, T. A.: *Determination of the excited state structure of 7-azaindole water cluster using a Franck-Condon analysis.* *J. Chem. Phys.* **123** (2005), 224311.
- [30] Meerts, W. L. und Schmitt, M.: *A new automated assign and analyzing method for high resolution rotational resolved spectra using Genetic Algorithms.* *Phys. Scripta* **73** (2005), C47.
- [31] Myszkiwicz, G., Meerts, W. L., Ratzner, C. und Schmitt, M.: *Structure Determination of Resorcinol Rotamers by High-Resolution UV Spectroscopy.* *ChemPhysChem* **6** (2005), 2129.
- [32] Schmitt, M., Böhm, M., Ratzner, C., Vu, C., Kalkman, I. und Meerts, W. L.: *Structural selection by microsolvation: conformational locking of tryptamine.* *J. Am. Chem. Soc.* **127** (2005), 10356.
- [33] Myszkiwicz, G., Meerts, W. L., Ratzner, C. und Schmitt, M.: *The structure of 4-methylphenol and its water cluster revealed by rotationally resolved UV-spectroscopy using a genetic algorithm approach..* *J. Chem. Phys.* **123** (2005), 044304(1).
- [34] Myszkiwicz, G., Meerts, W. L., Ratzner, C. und Schmitt, M.: *Rotational isomers of hydroxy deuterated  $o$ - and  $m$ -cresols studied by ultraviolet high resolution experiments..* *Phys. Chem. Chem. Phys.* **7** (2005), 2142.

- [35] Schmitt, M., Ratzer, C., Jacoby, C. und Meerts, W. L.: *Structure and barrier to internal rotation of 4-methylstyrene in the  $S_0$ - and  $S_1$ -state*. *J. Mol. Struct.* **742** (2005), 123.
- [36] Jacoby, C. und Schmitt, M.: *Torsional barriers in aromatic molecular clusters as probe of the electronic properties of the chromophore*. *Chem. Phys. Chem.* **5** (2004), 1686.
- [37] Schmitt, M., Ratzer, C., Kleinermanns, K. und Meerts, W. L.: *Determination of the structure of 7-azaindole in the electronic ground and excited state using high resolution ultra-violet spectroscopy and an automated assignment based on a genetic algorithm*. *Mol. Phys.* **102** (2004), 1605.
- [38] Brause, R., Schmitt, M., Spangenberg, D. und Kleinermanns, K.: *Determination of the excited state structure of 7-azaindole using a Franck–Condon analysis*. *Mol. Phys.* **102** (2004), 1615.
- [39] Meerts, W. L., Schmitt, M. und Groenenboom, G.: *New applications of the Genetic Algorithm for the interpretation of High Resolution Spectra*. *Can. J. Chem.* **82** (2004), 804.
- [40] Schmitt, M., Ratzer, C. und Meerts, W. L.: *The structure of the phenol-nitrogen cluster. A joint experimental and ab initio study*. *J. Chem. Phys.* **120** (2004), 2752.
- [41] Westphal, A., Jacoby, C., Ratzer, C., Reichelt, A. und Schmitt, M.: *Determination of the intermolecular geometry of the phenol-methanol cluster*. *Phys. Chem. Chem. Phys.* **5** (2003), 4114.
- [42] Ratzer, C., Nispel, M. und Schmitt, M.: *Structure of p-fluorophenol and barrier to internal -OH torsion in the  $S_1$ -state*. *Phys. Chem. Chem. Phys.* **5** (2002), 812.
- [43] Küpper, J., Schmitt, M. und Kleinermanns, K.: *The Rotationally Resolved Electronic Spectrum of p-Cyanophenol*. *Phys. Chem. Chem. Phys.* **4** (2002), 4634.
- [44] Ratzer, C., Küpper, J., Spangenberg, D. und Schmitt, M.: *The structure of phenol in the  $S_1$ -state determined by high resolution UV-spectroscopy*. *Chem. Phys.* **283** (2002), 153.
- [45] Plützer, C., Jacoby, C. und Schmitt, M.: *Internal rotation and intermolecular vibrations of the phenol-methanol cluster: A Comparison of Spectroscopic Results and Ab Initio Theory*. *J. Phys. Chem. A* **106** (2002), 3998.
- [46] Schmitt, M., Plützer, C. und Kleinermanns, K.: *Determination of the structures of benzotriazole( $H_2O$ )<sub>1,2</sub> clusters by IR-UV spectroscopy and ab initio theory*. *Phys. Chem. Chem. Phys.* **3** (2001), 4218.
- [47] Küpper, J., Westphal, A. und Schmitt, M.: *The structure of the binary phenol-methanol cluster. A comparison of experiment and ab initio theory*. *Chem. Phys.* **263** (2001), 41.

- [48] Jacoby, C., Roth, W. und Schmitt, M.: *A comparison of intermolecular vibrations and tautomerism in benzimidazole, benzotriazole and their binary water clusters.* *Appl. Phys. B* **71** (2000), 643.
- [49] Schmitt, M., Jacoby, C., Gerhards, M., Unterberg, C., Roth, W. und Kleineremanns, K.: *Structures and vibrations of phenol(NH<sub>3</sub>)<sub>2-4</sub> clusters.* *J. Chem. Phys.* **113** (2000), 2995.
- [50] Schmitt, M., Küpper, J., Spangenberg, D. und Westphal, A.: *Determination of the structures and barriers to hindered internal rotation of the phenol-methanol cluster in the S<sub>0</sub> and S<sub>1</sub> state.* *Chem. Phys.* **254** (2000), 349.
- [51] Roth, W., Spangenberg, D., Janzen, C., Westphal, A. und Schmitt, M.: *The relative stability of benzotriazole tautomers determined by a rotational band contour analysis of the N-H stretching vibration.* *Chem. Phys.* **248** (1999), 17.
- [52] Jacoby, C., Roth, W., Schmitt, M., Janzen, C., Spangenberg, D. und Kleineremanns, K.: *Intermolecular Vibrations of Phenol(H<sub>2</sub>O)<sub>2-5</sub> and Phenol(D<sub>2</sub>O)<sub>2-5</sub>-d<sub>1</sub> Studied by UV Double-Resonance Spectroscopy and ab Initio Theory.* *J. Phys. Chem. A* **102** (1998), 4471.
- [53] Roth, W., Jacoby, C., Westphal, A. und Schmitt, M.: *A study of 2H- and 2D-benzotriazole in their lowest electronic states by UV-laser double-resonance spectroscopy.* *J. Phys. Chem. A* **102** (1998), 3048.
- [54] Jacoby, C., Hering, P., Schmitt, M., Roth, W. und Kleineremanns, K.: *Investigations of OH-N- and NH-O-type hydrogen-bonded clusters by UV laser spectroscopy.* *Chem. Phys.* **239** (1998), 23.
- [55] Roth, W., Schmitt, M., Jacoby, C., Spangenberg, D., Janzen, C. und Kleineremanns, K.: *Double resonance spectroscopy of phenol(H<sub>2</sub>O)<sub>1-12</sub>: evidence for ice-like structures in aromate-water clusters?.* *Chem. Phys.* **239** (1998), 1.
- [56] Schmitt, M., Jacoby, C. und Kleineremanns, K.: *Torsional splitting of the intermolecular vibrations of phenol(H<sub>2</sub>O)<sub>1</sub> and its deuterated isotopomers.* *J. Chem. Phys.* **108** (1998), 4486.
- [57] Kleineremanns, K., Gerhards, M. und Schmitt, M.: *Electronic Spectroscopy of Aromatic Molecules in Jet-Cooled Hydrogen Bonded Clusters- Structure and Fluxionality.* *Ber. Bunsenges. Phys. Chem.* **101** (1997), 1785.
- [58] Berden, G., Meerts, W. L., Schmitt, M. und Kleineremanns, K.: *High resolution UV spectroscopy of phenol and the hydrogen bonded phenol-water cluster.* *J. Chem. Phys.* **104** (1996), 972.
- [59] Gerhards, M., Schmitt, M., Kleineremanns, K. und Stahl, W.: *The structure of phenol(H<sub>2</sub>O) obtained by microwave spectroscopy.* *J. Chem. Phys.* **104** (1996), 967.

- [60] Schmitt, M., Henrichs, U., Müller, H. und Kleineremanns, K.: *Intermolecular vibrations of the phenol dimer revealed by spectral hole burning and dispersed fluorescence spectroscopy. J. Chem. Phys.* **103** (1995), 9918.
- [61] Schmitt, M., Müller, H., Henrichs, U., Gerhards, M., Perl, W., Deusen, C. und Kleineremanns, K.: *Structure and vibrations of phenol-CH<sub>3</sub>OH (CD<sub>3</sub>OD) in the electronic ground and excited state, revealed by spectral hole burning and dispersed fluorescence spectroscopy. J. Chem. Phys.* **103** (1995), 584.
- [62] Schiefke, A., Deusen, C., Jacoby, C., Gerhards, M., Schmitt, M., Kleineremanns, K. und Hering, P.: *Structure and vibrations of the phenol-ammonia cluster. J. Chem. Phys.* **102** (1995), 9197.
- [63] Schmitt, M., Müller, H. und Kleineremanns, K.: *A study of intermolecular vibrational frequencies of phenol(H<sub>2</sub>O)<sub>3</sub> by spectral hole burning spectroscopy. Chem. Phys. Letters* **218** (1994), 246.
- [64] Wolf, K., Kuge, H.-H., Schmitt, M. und Kleineremanns, K.: *Kinetics of Formation and Vibronic Spectroscopy of H-Bonded Clusters in Supersonic Jets. Ber. Bunsenges. Phys. Chem.* **96** (1992), 1309.
- [65] Kamps, R., Müller, H., Schmitt, M., Sommer, S., Wang, Z. und Kleineremanns, K.: *Photooxidation of exhaust pollutants. I. Degregation efficiencies, quantum yields and products of benzene photooxidation. Chemosphere* **27** (1993), 2127.
- [66] Gerhards, M., Kimpfel, B., Pohl, M., Schmitt, M. und Kleineremanns, K.: *Vibronic spectroscopy of jet-cooled hydrogen bonded clusters. J. Mol. Struct.* **270** (1992), 301.
- [67] Schmitt, M., Pohl, M. und Kleineremanns, K.: *Two color ionization dip spectroscopy of size assigned hydrogen bonded clusters. Internat. Phys. Conf.* **114** (1991), 421.
- [68] Pohl, M., Schmitt, M. und Kleineremanns, K.: *Vibrational spectroscopy of size-assigned p-cresol/H<sub>2</sub>O-clusters in the S<sub>0</sub> and S<sub>1</sub> state. Chem. Phys. Letters* **177** (1991), 252.
- [69] Pohl, M., Schmitt, M., Wolf, K. und Kleineremanns, K.: *Microscopic shifts of size assigned p-cresol(H<sub>2</sub>O)<sub>n</sub>-cluster spectra. J. Chem. Phys.* **94** (1991), 1717.
- [70] Kleineremanns, K. und Schmitt, M.: *Process for processing solid particles containing toxic chemicals. PCT Int. Appl.* (2000). Patent WO 9118671 A1.